

User Themes

- [Overview](#)
- [Solarized \(Dark\)](#)
- [Solarized \(Light\)](#)

Overview

This page is a place for users to share their custom themes compatible with Studio. Please note that we also support Textmate themes, and a large number of user themes for it are found here: [TextMate for macOS](#).

Solarized (Dark)

Homepage: [Solarized color scheme for Aptana](#)

Download: [https://raw.githubusercontent.com/bueltge/Aptana-Solarized/master/Aptana-Solarized%20\(dark\).tmTheme](https://raw.githubusercontent.com/bueltge/Aptana-Solarized/master/Aptana-Solarized%20(dark).tmTheme) (right-click and select Save Link As...)

```

/**
 * AddQuicktag - Settings
 * @license GPLv3
 * @package AddQuicktag
 * @subpackage AddQuicktag-Settings
 */
if ( ! function_exists( 'add_action' ) ) {
    echo "Hi there! I'm just a part of plugin, not much.";
    exit;
}
class Add_Quicktag_Settings extends Add_Quicktag {
    static private $classobj = NULL;
    // string for translation
    static public $textdomain;
    // string for options in table options
    static private $option_string;
    // string for plugin file
    static private $plugin;
    // string for nonce fields
    static public $nonce_string;
    /**
     * Handler for the action 'init'. Instantiates this class
     *
     * @access public
     * @since 2.0.0
     * @return $classobj
     */
    public function get_object() {
        if ( NULL === self::$classobj ) {
            self::$classobj = new self;
        }
        return self::$classobj;
    }
}

```

Solarized (Light)

Homepage: Solarized color scheme for Aptana

Download: [https://raw.githubusercontent.com/bueltge/Aptana-Solarized/master/Aptana-Solarized%20\(light\).tmTheme](https://raw.githubusercontent.com/bueltge/Aptana-Solarized/master/Aptana-Solarized%20(light).tmTheme) (right-click and select Save Link As...)

```

>> static private $plugin;
>> // string for nonce fields
>> static public $nonce_string;
>>
>> /**
>>  * Handler for the action 'init'. Instantiates this class
>>  *
>>  * @access public
>>  * @since 2.0.0
>>  * @return $classobj
>>  */
>> public function get_object() {
>>     if ( NULL === self::$classobj ) {
>>         self::$classobj = new self;
>>     }
>>     return self::$classobj;
>> }
>>
>> /**
>>  * Constructor, init on defined hooks of WP and include
>>  *
>>  * @access public
>>  * @since 0.0.2
>>  * @uses register_activation_hook, register_uninstall_hook
>>  * @return void
>>  */
>> public function __construct() {
>>     if ( ! is_admin() ) {
>>         return NULL;
>>     }
>>     // textdomain from parent class
>>     self::$textdomain = parent::get_textdomain();
>>     $this->option_string = parent::get_option_string();
>>     $this->plugin_string = parent::get_plugin_string();
>>     $this->nonce_string = 'addquicktag_nonce';
>>
>>     register_uninstall_hook( FILE_PATH_PLUGIN, array( $this, 'uninstall' ) );

```